

Notice of Allowability

Application No.

10/812,218

Examiner

Flemming Saether

Applicant(s)

KERSTEN, FERDINAND

Art Unit

3677

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment 6/22/05 and examiner's amendment 8/30/05.
2. ☒ The allowed claim(s) is/are 21-48.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☒ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Flemming Saether
Primary Examiner
Art Unit: 3677

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. McDowell on 8/30/05.

The application has been amended as follows:

Claim 21, line 4, changed "unitary piece" to --single unitary piece of material--;

line 8, after "with" inserted --only--;

line 8, changed "exposed radial measurement plane" to --planer surface--

line 9, after "longitudinal axis," inserted -- wherein the planer surfaces from radial measurement planes which are exposed in opposite axial directions,--.

Claim 31, line 4, changed "unitary piece" to --single unitary piece of material--;

line 8, after "with" inserted --only--;

line 8, changed "exposed radial measurement plane" to --planer surface--

line 9, after "longitudinal axis," inserted -- wherein the planer surfaces from radial measurement planes which are exposed in opposite axial directions,--.

Claim 41, line 3, changed "unitary piece" to --single unitary piece of material--;
line 6, after "with" inserted --only--;
line 6-7, changed "exposed radial measurement plane" to --planer
surface which is perpendicular to the longitudinal axis, wherein the planer surfaces from
radial measurement planes which are exposed in opposite axial directions--.


The following is an examiner's statement of reasons for allowance: the prior art does not disclose a bolt used in ultrasonic tension measuring having a single piece construction with only a single exposed planer surface at each end wherein the exposed surface at the insertion end is formed as cavity bounded by a surfaces forming a single point of change. It should be recognized that the claimed invention is limited to bolts which are used for ultrasonic measurement by virtue of the claimed requiring measurement planes, one of which being for receiving a sensor to measure the tension of the bolt. Therefore, set screws such as those disclosed by Hansen (US 4,304,424 and 4,506,917) which show similar structure, cannot anticipate the claims. In that regard, not only do the set screws not receive a sensor, they are in compression thus any measurement of tension would be impossible.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Flemming Saether whose telephone number is 571-272-7071. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Swann can be reached on 571-272-7075. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Flemming Saether
Primary Examiner
Art Unit 3677